



STRONGBOX SERIES STAINLESS STEEL PRODUCT LINE

CERTIFICATIONS

UL/CUL NEMA Type 1, 2, 3, 3R, 4, 4X
UL 508A Listed File No. E162786
IEC 60529, IP66



Quality Stainless Steel Enclosures

Ideal for indoor or outdoor applications that require protection against water, oil and dirt.
Our Strongbox Series enclosures come in multiple standard sizes.



FIP Urethane Gasket



Bolt Tabs



Panel Standoffs



Removeable Pinge™



Quarter Turn Latch



Rivet Nuts

FEATURES & BENEFITS

- 304 Stainless Steel with Grade #4 Finish
- Seams Continuously Welded and Ground Smooth
- Removable Pin Hinge (Pinge™)
- Doors Open 180+ Degrees
- Standoffs for Mounting Optional Subpanels
- Bolt-On Mounting Tabs and Rivet Nuts
- Chemical, Corrosion & Hosedown Resistant
- Stainless Steel Quarter Turn Latch
- Water & Oil Resistant FIP Urethane Gasket
- Flange Collar Around All Sides of Door Opening
- Grounding Stud on Door and Body



to request a quote
sales@integraenclosures.com

OFF-THE-SHELF standard sizes, available for QuickShip!

Strongbox Series enclosures come in multiple standard sizes, that are ready to be shipped as is, with the industries best lead times.

STANDARD ENCLOSURE SIZES

Part Number	Height	Width	Depth	Material Thickness Cover / Base	Enclosure Weight (lbs.)	Optional Subpanel Part #	Subpanel Dimensions
W100804-4PQ-BT	10"	8"	4"	16 Gauge / 16 Gauge	6.0	PNLB1008GVN	8x6
W100806-4PQ-BT	10"	8"	6"	16 Gauge / 16 Gauge	7.2	PNLB1008GVN	8x6
W121004-4PQ-BT	12"	10"	4"	16 Gauge / 16 Gauge	8.1	PNLB1210GVN	10x8
W121006-4PQ-BT	12"	10"	6"	16 Gauge / 16 Gauge	9.6	PNLB1210GVN	10x8
W141206-4PQ-BT	14"	12"	6"	16 Gauge / 16 Gauge	12.3	PNLB1412GVN	12x10
W201608-4PQ-BT	20"	16"	8"	14 Gauge / 16 Gauge	22.6	PNLB2016GVN	18x14
W202008-4PQ-BT	20"	20"	8"	14 Gauge / 16 Gauge	26.6	PNLB2020GVN	18x18
W202010-4PQ-BT	20"	20"	10"	14 Gauge / 16 Gauge	36.8	PNLB2020GVN	18x18
W242008-4PQ-BT	24"	20"	8"	14 Gauge / 16 Gauge	30.7	PNLB2420GVN	22x18
W242010-4PQ-BT	24"	20"	10"	14 Gauge / 16 Gauge	42.2	PNLB2420GVN	22x18
W242408-4PQ-BT	24"	24"	8"	14 Gauge / 16 Gauge	35.3	PNLB2424GVN	22x22
W242410-4PQ-BT	24"	24"	10"	14 Gauge / 16 Gauge	48.4	PNLB2424GVN	22x22
W302410-4PQ-BT	30"	24"	10"	14 Gauge / 14 Gauge	57.6	PNLB3024GVN	28x22
W302412-4PQ-BT	30"	24"	12"	14 Gauge / 14 Gauge	62.3	PNLB3024GVN	28x22
W363012-4PQ-BT	36"	30"	12"	14 Gauge / 14 Gauge	84.9	PNLB3630GVN	34x28

*Standard QuickShip lead time is 1-2 business days and is based on available quantities of unmodified enclosures. Call sales department for details.

